Physica C 204 (1993) 425–428
North-Holland

PHYSICA C

Author Index to Volume 204

Adrian, H., see C. Stölzel **204**, 15
Ahrens, R., see Th. Schreiner **204**, 161
Aihara, K., see O.F. Schilling **204**, 109
Alloul, H., see H. Casalta **204**, 331
Andreone, D., see F. Pavese **204**, 1
Aomine, T., see T. Nishizaki **204**, 305

Bando, Y., see T. Nishizaki **204**, 305
Beeli, C., see S. Tao **204**, 117
Bénière, F., see K. Nanda Kishore **204**, 299
Berastegui, P., L.-G. Johansson, M. Käll and L. Börjesson, Structure of Y(Pr)$Ba_2Cu_4O_8$ A neutron diffraction study **204**, 147
Bianco, M., see F. Pavese **204**, 1
Boekholt, M., see H. Idink **204**, 267
Bokhimi, ., see A. García-Ruíz **204**, 79
Book, G.W., see J.M. Rozell Jr. **204**, 384
Börjesson, L., see P. Berastegui **204**, 147
Braginski, A.I., see E. Sodtke **204**, 375
Briceño, G., M.F. Crommie and A. Zettl, Out-of-plane current transport in $Bi_2Sr_2CaCu_2O_8$ in the mixed state **204**, 389

Cantoni, M., see S. Tao **204**, 117
Cao, G., see N. Rosov **204**, 171
Carlson, K.D., see A.M. Kini **204**, 399
Carmona, F., see B. Ropers **204**, 71
Casalta, H., H. Alloul and J.-F. Marucco, Measurement of the phase diagram of $(Y_{1-y}Ca_y)Ba_2Cu_3O_6$ versus calcium content. Evidence for the importance of charge dynamics in the destruction of T_N **204**, 331
Chen, C., see A.K. Pradhan **204**, 325
Chen, C.H., see D.J. Werder **204**, 155
Chen, H.-Y., see C. Lin **204**, 127
Chen, Y.-C., Gutzwiller corrections on mean-field states of the *t–J* model **204**, 88
Chowdhury, A.J.S., B.M.R. Wanklyn and J.W. Hodby, On the role of analytical electron microscopy in the study of some HTSC crystals **204**, 394
Cresta, R., see F. Pavese **204**, 1
Crommie, M.F., see G. Briceño **204**, 389
Crow, J.E., see N. Rosov **204**, 171
Cunningham, J., see J.M. Rozell Jr. **204**, 384

Dai, D., see Y. Xu **204**, 288
Dudek, J.D., see A.M. Kini **204**, 399
Dupouy, P., J. Wery and J.L. Mansot, Structure determination of Bi-HT_c superconductors by means of electron microdiffraction **204**, 203

Ferraro, J.R., see A.M. Kini **204**, 399
Flandrois, S., see B. Ropers **204**, 71
Flower, N.E., see J.L. Tallon **204**, 237
Fueki, K., see H. Ishizuka **204**, 55
Fujisaki, H., see O.F. Schilling **204**, 109
Fukami, T., see T. Nishizaki **204**, 305
Furubayashi, T., K. Kinoshita, T. Yamada and T. Matsumoto, Mössbauer studies of superconducting $La_{2-x}Ca_{1+x}Cu_2O_6$ doped with ^{57}Fe **204**, 315
Furukawa, T., T. Shigematsu and N. Nakanishi, Low-temperature oxidation of ceramic superconductor $YBa_2Cu_3O_y$ **204**, 103

García-Ruíz, A. and . Bokhimi, Superconductivity and crystalline structure in the Na–W–O system **204**, 79
Geiser, U., see A.M. Kini **204**, 399
Gerdanian, P. and C. Picard, Some experimental evidence concerning the location of the OI–OII phase boundary in $YBa_2Cu_3O_z$ **204**, 419
Glorioso, C., see J.M. Rozell Jr. **204**, 384
Golben, J.P., see J.M. Rozell Jr. **204**, 384
Goodenough, J.B., see S. Tao **204**, 117
Goodwin, T.J., H.B. Radousky and R.N. Shelton, Superconducting, magnetic, electronic transport, and structural properties of $(R_{1.5}Ce_{0.5})Sr_2Cu_2NbO_{10}$, R = Pr, Nd, Sm, Eu **204**, 212
Gopalakrishnan, I.K., J.V. Yakhmi and R.M. Iyer, The influence of substitution of Ce on the superconducting behaviour of $YBa_2Cu_4O_8$ and $DyBa_2Cu_4O_8$ **204**, 413
Götte, M., see C.H. Rüscher **204**, 30
Götz, D., see H. Idink **204**, 267
Güntherodt, G., see C.H. Rüscher **204**, 30
Guo, S.Q., see B.R. Zhao **204**, 341
Gupta, M., see R.P. Gupta **204**, 349
Gupta, R.P. and M. Gupta, A comparative study of the pressure-induced charge redistribution in $YBa_2Cu_3O_7$ and $YBa_2Cu_4O_8$ **204**, 349

Haga, T., see W. Ito **204**, 295
Hahn, Th., see H. Idink **204**, 267
Hari Babu, V., see K. Nanda Kishore **204**, 299
Hazell, S.J., see A.K. Pradhan **204**, 325
He, A.Q., G.W. Qiao and H.Q. Ye, A crystallographic symmetry analysis of the phase transition of Y–Ba–Cu–O superconductor **204**, 85
He, A.Q., X.M. Meng, Y.Z. Wang, G.W. Qiao and H.Q. Ye, Study of the crystallization process of $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_z$ glass using transmission electron microscopy **204**, 365
Hernández-Rojas, J.L., see M.L. Lucía **204**, 359
Hiraga, K., see Y. Muraoka **204**, 65

Hodby, J.W., see A.K. Pradhan **204**, 325
Hodby, J.W., see A.J.S. Chowdhury **204**, 394
Homma, N., see W. Ito **204**, 295
Huth, M., see C. Stölzel **204**, 15

Ichikawa, F., see T. Nishizaki **204**, 305
Idemoto, Y., see H. Ishizuka **204**, 55
Idink, H., D. Götz, Th. Hahn, E. Woermann and M. Boekholt, Evidence for the existence of two separate 30 Å phases in the Bi–Sr–Ca–Cu–O system **204**, 267
Inaguma, Y., see M. Itoh **204**, 194
Ishizuka, H., Y. Idemoto and K. Fueki, Oxygen nonstoichiometry and high-temperature conductivity of $YBa_2Cu_4O_y$ **204**, 55
Ito, W., A. Oishi, S. Okayama, Y. Yoshida, N. Homma, T. Morishita, T. Haga and K. Yamaya, Highest crystallinity of *a*-axis YBCO films by DC-94.92 MHz hybrid plasma magnetron sputtering **204**, 295
Itoh, M., T. Sawada, I.-S. Kim, Y. Inaguma and T. Nakamura, Electrical properties of the $A(Pb_{1-x}B_x)O_{3-\delta}$ (A=Ba, Sr, B=Sb, Bi) system **204**, 194
Iwasaki, H., S. Kenmochi, O. Taniguchi and N. Kobayashi, Anomalous magnetoresistance in the normal state of $Y_{1-x}Pr_xBa_2Cu_3O_y$ ($x \geq 0.6$) films **204**, 406
Iyer, R.M., see I.K. Gopalakrishnan **204**, 413

Jin, C., see Y. Xu **204**, 288
Johansson, L.-G., see P. Berastegui **204**, 147

Käll, M., see P. Berastegui **204**, 147
Kao, H.L., see D.J. Werder **204**, 155
Kartha, V.B., see S.N. Narang **204**, 8
Kenmochi, S., see H. Iwasaki **204**, 406
Kikuchi, M., see Y. Muraoka **204**, 65
Kim, I.-S., see M. Itoh **204**, 194
Kini, A.M., J.D. Dudek, K.D. Carlson, U. Geiser, R.A. Klemm, J.M. Williams, K.R. Lykke, J.A. Schlueter, H.H. Wang, P. Wurz, J.R. Ferraro, G.A. Yaconi and P. Stout, Do the *intra*molecular C=C stretching vibrational modes in ET mediate electron-pairing in κ-$(ET)_2X$ superconductors? **204**, 399
Kinoshita, K., see T. Furubayashi **204**, 315
Klemm, R.A., see A.M. Kini **204**, 399
Kobayashi, N., see Y. Muraoka **204**, 65
Kobayashi, N., see H. Iwasaki **204**, 406
Korzhenevskii, A.L. and A.A. Luzhkov, A phenomenological heterophase model of the conductivity anomalies in high-temperature superconductors **204**, 191
Kuzovlev, Yu.E., see P.N. Mikheenko **204**, 229
Kwo, J., see D.J. Werder **204**, 155

Ladik, J., see P. Saalfrank **204**, 279
Legrand, L., I. Rosenman, Ch. Simon and Z.Z. Wang, Critical current in single crystalline $Nd_{1.85}Ce_{0.15}CuO_4$ from AC susceptibility **204**, 50
Li, L., see B.R. Zhao **204**, 341
Lin, C., G. Lu, Z.-X. Liu, H.-Y. Chen and Y.-F. Zhang, Effect of Ni and Zn substitution on magnetic ordering in Gd_2CuO_4 **204**, 127
Lin, S.-H., see N.-L. Wu **204**, 21
Liu, H.B., D.E. Morris and A.P.B. Sinha, $(Mg,Pb)Sr_2(Y,Ca)Cu_2O_7$, a new 60 K superconductor in the Pb - 1:2:1:2 family **204**, 262
Liu, Z.-X., see C. Lin **204**, 127
Lu, G., see C. Lin **204**, 127
Lucía, M.L., J. Santamaría, J.L. Hernández-Rojas and F. Sánchez-Quesada, Effect of sputtering parameters on the oxygenation dynamics of 123 superconducting thin films **204**, 359
Luzhkov, A.A., see A.L. Korzhenevskii **204**, 191
Lykke, K.R., see A.M. Kini **204**, 399
Lynn, J.W., see N. Rosov **204**, 171

Mai, Z., see Y. Xu **204**, 288
Maley, M.P., see M.G. Smith **204**, 130
Mansot, J.L., see P. Dupouy **204**, 203
Marucco, J.-F., see H. Casalta **204**, 331
Matsuda, S.-P., see O.F. Schilling **204**, 109
Matsumoto, T., see T. Furubayashi **204**, 315
Meng, X.M., see A.Q. He **204**, 365
Mikheenko, P.N. and Yu.E. Kuzovlev, Inductance measurements of HTSC films with high critical currents **204**, 229
Morishita, T., see W. Ito **204**, 295
Morris, D.E., see H.B. Liu **204**, 262
Münder, H., see E. Sodtke **204**, 375
Muralidhar, M., see K. Nanda Kishore **204**, 299
Muraoka, Y., M. Kikuchi, N. Ohnishi, K. Hiraga, R. Suzuki, N. Kobayashi and Y. Syono, Structural and superconducting properties of iodine-intercalated $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_z$ **204**, 65

Nakamura, T., see M. Itoh **204**, 194
Nakanishi, N., see T. Furukawa **204**, 103
Nanda Kishore, K., M. Muralidhar, V. Hari Babu, O. Peña, M. Sergent and F. Bénière, Effect of rare-earth Sm^{3+} substitution on the superconducting properties of the $Bi_{1.7}Pb_{0.3}Sr_2Ca_{2-x}Sm_xCu_3O_y$ system **204**, 299
Narang, S.N., V.B. Kartha and N.D. Patel, Fourier transform infrared spectra and normal vibrations of CuO **204**, 8
Narymbetov, B.Zh., see L.A. Novomlinsky **204**, 322
Nishizaki, T., F. Ichikawa, T. Fukami, T. Aomine, T. Terashima and Y. Bando, Lorentz-force dependence of transport critical currents and anisotropic pinning properties in $YBa_2Cu_3O_{7-\delta}$ single-crystalline thin films **204**, 305
Nissen, H.-U., see S. Tao **204**, 117
Novomlinsky, L.A., B.Zh. Narymbetov and V.Sh. Shekhtman, X-ray diffraction studies of high-T_c $Bi_2Sr_2CaCu_2O_{8-x}$ superconductor **204**, 322

Oesterreicher, H., see M.G. Smith **204**, 130
Ohnishi, N., see Y. Muraoka **204**, 65
Oishi, A., see W. Ito **204**, 295

Okayama, S., see W. Ito **204**, 295
Ono, A. and M. Tsutsumi, Superconductivity in $Sr_2RCu_3O_z$ (R = Dy, Ho, Er, Tm and Yb) **204**, 43
O'Reilly, J.W., see N. Rosov **204**, 171

Pan, G., see Y. Xu **204**, 288
Pandey, D., A.K. Singh and A.P. Singh, Towards the rapid synthesis of pure 2223 powders with $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ compositions by semi-wet methods I.Reaction sequence for $Pb_{0.2}SrCa(CO_3)_{2.2}$ precursor **204**, 179
Patel, N.D., see S.N. Narang **204**, 8
Pavese, F., M. Bianco, D. Andreone, R. Cresta and P. Rellecati, Magnetic shielding properties of $YBa_2Cu_3O_{7-x}$ thick films deposited on silver cylinders with the continuous detonation spray technique **204**, 1
Peña, O., see K. Nanda Kishore **204**, 299
Pernambuco-Wise, P., see N. Rosov **204**, 171
Picard, C., see P. Gerdanian **204**, 419
Pradhan, A.K., S.J. Hazell, J.W. Hodby, C. Chen, Hu. Y and B.M. Wanklyn, Vortex motion and energy dissipation in single crystal (Bi–Pb)–Sr–Ca–Cu–O **204**, 325

Qiao, G.W., see A.Q. He**204**, 85, 365
Qiu, X.G., see B.R. Zhao **204**, 341
Quitmann, C., see C.H. Rüscher **204**, 30

Radousky, H.B., see T.J. Goodwin **204**, 212
Rellecati, P., see F. Pavese **204**, 1
Rietschel, H., see Th. Schreiner **204**, 161
Ropers, B., F. Carmona and S. Flandrois, Phenomenological approach to the resistive transition of YBaCuO–Ag superconducting random composites **204**, 71
Rosenman, I., see L. Legrand **204**, 50
Rosov, N., J.W. Lynn, G. Cao, J.W. O'Reilly, P. Pernambuco-Wise and J.E. Crow, Magnetic ordering of the Cu spins in $PrBa_2Cu_3O_{6+x}$ **204**, 171
Rozell Jr., J.M., G.W. Book, J. Cunningham, C. Glorioso, M. Vlasse and J.P. Golben, A powder X-ray diffraction and electrical study of $Dy(Ba_{2-x}Sr_x)Cu_3O_{7-\delta}$ superconducting cuprates **204**, 384
Rüscher, C.H., M. Götte, B. Schmidt, C. Quitmann and G. Güntherodt, Coexistence of localized and delocalized states in Bi-2212 Y/Ca An investigation of the infrared and optical absorption **204**, 30

Saalfrank, P. and J. Ladik, Hartree–Fock energy bands of $YBa_2Cu_3O_7$ **204**, 279
Sánchez-Quesada, F., see M.L. Lucía **204**, 359
Santamaría, J., see M.L. Lucía **204**, 359
Sawada, T., see M. Itoh **204**, 194
Schilling, O.F., H. Fujisaki, K. Aihara and S.-P. Matsuda, Relaxation of the remanent magnetization of the (Tl/Pb)$(Ba/Sr)_2Ca_2Cu_3O_9$ high-T_c superconductor at high temperatures Evidence for flux elimination via microstructural channels **204**, 109
Schlueter, J.A., see A.M. Kini **204**, 399
Schmidt, B., see C.H. Rüscher **204**, 30
Schmidt, H., see Th. Schreiner **204**, 161
Schreiner, Th., R. Ahrens, T. Wolf, H. Schmidt and H. Rietschel, Magnetic low-temperature specific heat of $YBa_2Cu_3O_{7-\delta}$ due to localized charge carriers **204**, 161
Sergent, M., see K. Nanda Kishore **204**, 299
Shekhtman, V.Sh., see L.A. Novomlinsky **204**, 322
Shelton, R.N., see T.J. Goodwin **204**, 212
Shieh, S.H. and W.J. Thomson, Low-temperature synthesis of $YBa_2Cu_3O_{7-x}$ powders from citrate and nitrate precursors **204**, 135
Shigematsu, T., see T. Furukawa **204**, 103
Shimakawa, Y., Chemical and structural study of tetragonal and orthorhombic $Tl_2Ba_2CuO_6$ **204**, 247
Simon, Ch., see L. Legrand **204**, 50
Singh, A.K., see D. Pandey **204**, 179
Singh, A.P., see D. Pandey **204**, 179
Sinha, A.P.B., see H.B. Liu **204**, 262
Smith, M.G., see S. Tao **204**, 117
Smith, M.G., H. Oesterreicher, M.P. Maley and R.D. Taylor, Indications for enhanced flux pinning below magnetic ordering of Fe clusters in $YBa_2(Cu_{0.94}Fe_{0.06})_3O_{6+y}$ **204**, 130
Sodtke, E., H. Münder and A.I. Braginski, The influence of the template growth method on the properties of *a*-axis oriented $YBa_2Cu_3O_{7-\delta}$ thin films **204**, 375
Stölzel, C., M. Huth and H. Adrian, *c*-Axis oriented thin $Bi_2Sr_2CaCu_2O_{8+\delta}$-films prepared by flash-evaporation **204**, 15
Stout, P., see A.M. Kini **204**, 399
Suzuki, R., see Y. Muraoka **204**, 65
Syono, Y., see Y. Muraoka **204**, 65

Tallon, J.L. and N.E. Flower, Stoichiometric $YBa_2Cu_3O_7$ is overdoped **204**, 237
Taniguchi, O., see H. Iwasaki **204**, 406
Tao, S., H.-U. Nissen, C. Beeli, M. Cantoni, M.G. Smith, J. Zhou and J.B. Goodenough, Electron microscopy of the infinite-layer superconducting oxide phase and related compounds **204**, 117
Taylor, R.D., see M.G. Smith **204**, 130
Terashima, T., see T. Nishizaki **204**, 305
Thomson, W.J., see S.H. Shieh **204**, 135
Tsutsumi, M., see A. Ono **204**, 43

Vlasse, M., see J.M. Rozell Jr. **204**, 384

Wang, H.H., see A.M. Kini **204**, 399
Wang, W., see Y. Xu **204**, 288
Wang, Y.Z., see A.Q. He **204**, 365
Wang, Z.Z., see L. Legrand **204**, 50
Wanklyn, B.M., see A.K. Pradhan **204**, 325
Wanklyn, B.M.R., see A.J.S. Chowdhury **204**, 394
Werder, D.J., C.H. Chen, H.L. Kao and J. Kwo, Microstructures of thin film $La_{2-x}Sr_xCuO_4$ on $SrTiO_3$ and $LaAlO_3$ **204**, 155
Wery, J., see P. Dupouy **204**, 203
Williams, J.M., see A.M. Kini **204**, 399

Woermann, E., see H. Idink **204**, 267
Wolf, T., see Th. Schreiner **204**, 161
Wu, N.-L., H.-D. Yu and S.-H. Lin, Silver-accelerated phase transformation from $YBa_2Cu_3O_{7-x}$ to $YBa_2Cu_4O_8$ **204**, 21
Wurz, P., see A.M. Kini **204**, 399

Xu, P., see B.R. Zhao **204**, 341
Xu, Y., C. Jin, Z. Mai, G. Pan, D. Dai, Y. Yao and W. Wang, High-pressure sintering and structural study of $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ superconductor **204**, 288

Y, Hu., see A.K. Pradhan **204**, 325
Yaconi, G.A., see A.M. Kini **204**, 399
Yakhmi, J.V., see I.K. Gopalakrishnan **204**, 413
Yamada, T., see T. Furubayashi **204**, 315
Yamaya, K., see W. Ito **204**, 295
Yao, Y., see Y. Xu **204**, 288
Ye, H.Q., see A.Q. He**204**, 85, 365
Yoshida, Y., see W. Ito **204**, 295
Yu, H.-D., see N.-L. Wu **204**, 21

Zettl, A., see G. Briceño **204**, 389
Zhang, J.L., see B.R. Zhao **204**, 341
Zhang, Y.-F., see C. Lin **204**, 127
Zhang, Y.Z., see B.R. Zhao **204**, 341
Zhao, B.R., X.G. Qiu, S.Q. Guo, J.L. Zhang, P. Xu, Y.Z. Zhang, Y.Y. Zhao and L. Li, A study of dimensional crossover in $YBa_2Cu_3O_7/PrBa_2Cu_3O_7$ multilayers **204**, 341
Zhao, Y.Y., see B.R. Zhao **204**, 341
Zhou, J., see S. Tao **204**, 117

Physica C 204 (1993) 429
North-Holland

PHYSICA C

Analytic Subject Index to Volume 204

AC susceptibility 50, 229, 299
Anisotropic superconductor 305, 325, 341, 389
Antiferromagnetic order 127, 130, 171, 212, 331
Applications of high-T_c superconductors 1

Band structure
–of $YBa_2Cu_3O_7$ 279
BEDT-TTF 399

Carrier concentration 237, 247, 331, 349
Critical current density 15, 229, 305
–in NdCeCuO 50
Critical state model 229
Cu–O chains 55, 171
Cu–O planes 55, 171, 315

Defect structures 155, 191, 322, 365, 375, 394

Electrical resistivity 55, 71, 191, 194, 212, 267, 288, 384, 389, 413
Electron diffraction 203
Electronic structure 279, 349
Energy gap 30
Extended thick films 1

Fermi surface 279
Flux creep 1, 15, 109
Flux pinning 130, 305

Grain alignment 295
Grain boundaries 109
Granular superconductivity 71, 299
Gutzwiller projection 88

Hall effect 194
Heterophase superconductor 191
High pressure effect 349
High-pressure synthesis
–of $Sr_2RCu_3O_z$ 43
HREM 117, 394

Infrared spectroscopy 8, 30
Inhomogeneity 394
Intercalation 65
Intramolecular phonons 399
Isotope effect 8, 399

Kosterlitz–Thouless model 325
Kosterlitz–Thouless transition 331

Lattice dynamics 8
Lattice parameters 79, 117, 247
–of $DyBa_2Cu_4O_8$ 413
–of $YBa_2Cu_4O_8$ 413
Localization 30, 161

Magnetic relaxation 109
Magnetic shielding 1
Magnetic susceptibility 43, 50, 194, 247, 315
Magnetization 127, 130
Magnetoresistance 325, 389, 406
Metal–insulator transition 30, 161, 406
Microwave absorption 191
Mössbauer spectroscopy 315
Multilayers 341

Neutron diffraction 147, 171
NMR 247, 331
Non-ohmic behaviour 325
Normal-state properties 406

O^I–O^{II} transition 419
Optical spectroscopy 30
Organic superconductors 399
O–T transition 419
Oxygen ordering 375
Oxygen stoichiometry 43, 55, 103, 237, 359, 375

Percolation model 71
Phase diagram 21, 55, 331, 419
Proximity effect 341

Raman scattering 8, 375

Schwinger bosons 88
Specific heat 161
SQUID 109
Structural phase transition 79, 85, 103
Structure
–of $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_z$ 365
–of $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_z$ 65
–of $Bi_2Sr_2CaCu_2O_y$ modulated structures 322
–of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ 179
–of Bi–Sr–Ca–Cu–O 203, 267
–of $La_{2-x}Sr_xCuO_4$ 155
–of Na_xWO_3 79
–of $(R_{1.5}Ce_{0.5})Sr_2Cu_2NbO_{10}$, R = Pr,Nd,Sm,Eu 212
–of $Sr_{1-x}Re_xCuO_2$ 117
–of $Sr_2RCu_3O_z$ 43
–of $Tl_2Ba_2CuO_6$ 247
–of $Y_{1-x}Pr_xBa_2Cu_4O_8$ 147
–of $YBa_2Cu_3O_{7-x}$ 135
–of $YBa_2Cu_4O_8$ 21
–of Y–Ba–Cu–O 85
Substitution effects 384
–in $A(Pb_{1-x}B_x)O_{3-\delta}$ (A = Ba,Sr, B = Sb,Bi) 194
–in $Bi_{1.7}Pb_{0.3}Sr_2Ca_{2-x}Sm_xCu_3O_y$ 299
–in $Bi_2Sr_2Ca_{1-x}Y_xCu_2O_z$ 65
–in $DyBa_2Cu_4O_8$ 413
–in Gd_2CuO_4 127
–in $(Mg,Pb)Sr_2(Y,Ca)Cu_2O_7$ 262
–in $(R_{1.5}Ce_{0.5})Sr_2Cu_2NbO_{10}$, R = Pr,Nd,Sm,Eu 212
–in $Y_{1-x}Pr_xBa_2Cu_4O_8$ 147
–in $YBa_2(Cu_{0.94}Fe_{0.06})_3O_{6+y}$ 130
–in $YBa_2Cu_3O_7$ 237
–in $YBa_2Cu_4O_8$ 413
Synthesis
–of $Bi_{1.8}Pb_{0.2}Sr_2Ca_2Cu_3O_z$ 365
–of $Bi_{2-x}Pb_xSr_2Ca_2Cu_3O_y$ 179
–of Bi–Sr–Ca–Cu–O 267
–of $DyBa_2Cu_4O_8$ 413
–of $Dy(Ba_{2-x}Sr_x)Cu_3O_{7-\delta}$ 384
–of $(Mg,Pb)Sr_2(Y,Ca)Cu_2O_7$ 262
–of $Nd_{1.85}Ce_{0.15}CuO_{4-y}$ 288
–of $Sr_{1-x}Re_xCuO_2$ 117
–of $YBa_2Cu_3O_{7-x}$ 135
–of $YBa_2Cu_3O_y$ 103
–of $YBa_2Cu_4O_8$ 21, 413
–of YBCO 295, 359

Thermoelectric effects 237, 419
Thin films 155, 229, 295, 359, 375
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 15
–of $Y_{1-x}Pr_xBa_2Cu_3O_y$ ($x \geq 0.6$) 406
t–J model 88
Transmission electron microscopy 288, 365

Upper critical field H_{c2} 341

Weak links 71

X-ray diffraction 65, 79, 135, 179, 262, 267, 288, 322, 384